

# MEDITIME




VINYL FLOORING

# MEDITIME




MEDITIME 611 LIGHT GREY



MEDITIME 614 DARK GREY



MEDITIME 654 BEIGE



MEDITIME 520 BLUE

# MEDITIME VINYL FLOORING

CHARACTERISTICS	STANDARD	UNIT	RESULT
Type of flooring	ISO 10581 - EN 649		Homogeneous Sheet
Material			Polyvinyl Chloride
Cover			PUR
Flammability	GB8624-2012	Class	B1
Slip Resistance	DIN 51130	Group	R9
Roll Width	ISO 24341 - EN 426	m	2
Roll Length	ISO 24341 - EN 426	m	20
Overall Thickness	ISO 24346 - EN 426	mm	2.0
Total Weight	ISO 23997 - EN 430	kg/m <sup>2</sup>	2.85
Wear Resistance	EN 649	Group	T
Residual Indentation	ISO 24343 - 1 - EN433	mm	0.02
Dimensional Stability	ISO 23999 - EN 434	-	X : <0.4%
Color Fastness	ISO 105 - B02	Ratubg	X : <0.4%
Resistance to Staining	EN 423		No Cracking
Bend Resistance	GB/T 11982.2 - 2015		
Antibacterial	ISO 22196		Good
Anti Iodine			Good

FLOOR 1  
DIRECTORY



Emergency room

电梯间

Lecture hall

报告厅

Midbar and old stairs

母婴商店

1  
FLOOR 1  
DIRECTORY

电梯间  
Lecture hall  
报告厅  
母婴商店

